









PTO-1449 REPRODUCED				ATTORNEY DOCKET NO. CEN0250		APPLICATION NO. 09/920,137	
				APPLICANT: George Heavner, et al.			
				FILING DATE August 1, 2001		GROUP 1647	
U.S. PATENT DOCUMENTS							
EXAM- INER INI- TIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB- CLASS	FILING DATE IF APPROPRIATE
8	AA	4,603,106	07/29/86	Cerami et al.	435	7	
	AB	4,822,776	04/18/89	Cerami et al.	514	21	
	AC	5,231,024	7/27/93	Moeller et al.	435	240.27	
	AD	5,342,613	08/30/94	Creaven et al.	424	85.1	
	AE	5,658,570	08/19/97	Newman et al.	424	184.1	
	AF	5,656,272	12/12/97	Le, et al.	424	133.1	
	AG	5,698,195	12/16/97	Le, et al.	424	133.1	
	AH	5,750,105	5/12/98	Newman et al.	424	133.1	
	AI	5,888,511	03/30/99	Skurkovich et al.	424	145.1	
	AJ	5,919,452	07/06/99	Le, et al.	424	133.1	
	AK	5,958,413	09/28/99	Anagnostopulos et al.	424	178.1	
	AA2	5,993,833	11/30/99	DeLacharriere et al.	424	401	
	AB2	6,190,691 B1	02/20/01	Mak	424	449	
	AC2	6,277,969B1	08/21/01	Le, et al.	536	23.1	
8	AD2	6,284,471B1	09/04/01	Le, et al.	435	7.1	
FOREIGN PATENT DOCUMENTS							
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB- CLASS	TRANSLATION YES NO
8	AL	0212489B1	03/04/87	EPO			
	AM	0218868	04/22/87	EPO			
	AN	0260610B1	03/23/88	EPO			
8	AO	0288088B1	10/26/88	EPO			
EXAMINER G. S. L.				DATE CONSIDERED 12/22/03			



PTO-1449 REPRODUCED				ATTORNEY DOCKET NO. CEN0250		APPLICATION NO. 09/920,137	
INFORMATION DISCLOSURE CITATION IN THIS APPLICATION JUN 17 2002 PATENT & TRADEMARK OFFICE				APPLICANT: George Heavner, et al.			
				FILING DATE August 1, 2001		GROUP 1647	
FOREIGN PATENT DOCUMENTS							
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB-CLASS	TRANSLATION YES NO
AP		0308378B1	22 MAR 89	EPO			
AQ		0350690A2	17 JAN 90	EPO			
AL2		0351789B1	24 JAN 90	EPO			
AM2		WO90/00902	08 FEB 90	PCT			
AN2		0380068A1	01 AUG 90	EPO			
AO2		0393438A2	24 OCT 90	EPO			
AP2		0398327B1	22 NOV 90	EPO			
AQ2		0412486B1	13 FEB 91	EPO			
AL3		WO91/02078	21 FEB 91	PCT			
AM3		0486526B2	07 MAR 91	EPO			
AN3		0433900A1	26 JUN 91	EPO			
AO3		WO91/09967	11 JUL 91	PCT			
AP3		WO92/16553	19 MAR 92	PCT			
AQ3		WO92/07076	30 APR 92	PCT			
AL4		0 526 905 A3	07 AUG 92	EPO			
AM4		WO92/11383	09 JUL 92	PCT			
AN4		WO92/13095	06 AUG 92	PCT			
AO4		WO93/02108	04 FEB 93	PCT			
AP4		0526905A3	10 FEB 93	EPO			
AQ4		AU-B-17649/92	23 MAY 96	AU			
AL5		EP 0 610 210 B1	16 MAY 01	EPO			
EXAMINER <i>JS</i>				DATE CONSIDERED 12/22/03			

PTO-1449 REPRODUCED		ATTORNEY DOCKET NO. CEN0250	APPLICATION NO. 09/920,137
INFORMATION DISCLOSURE CITATION IN AN APPLICATION 		APPLICANT George Heavner, et al.	
		FILING DATE August 1, 2001	GROUP 1647
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
8	AR	Beutler, B. et al., "Identity of tumour necrosis factor and the macrophage-secreted factor cachectin," <i>Nature</i> , 316:552-554 (1985).	
	AS	Beutler, B. et al., "Passive Immunization Against Cachectin/Tumor Necrosis Factor Protects Mice from Lethal Effect of Endotoxin," <i>Science</i> , 229:869-871 (1985).	
	AT	Morrison, Sherie L., "Transfectomas Provide Novel Chimeric Antibodies," <i>Science</i> , 229:1202-1207 (1985).	
	AU	Aggarwal, Bharat B. et al., "Human Tumor Necrosis Factor Production, Purification and Characterization," <i>J. of Biol. Chem.</i> , 260(4):2345-2354 (1985).	
	AV	Beutler, B. et al., "Purification of Cachectin, A Lipoprotein Lipase-Suppressing Hormone Secreted by Endotoxin-induced RAW 264.7 Cells," <i>J. Exp. Med.</i> , 161:984-995 (1985).	
	AW	Paulus, H., APreparation and Biomedical Applications of Bispecific Antibodies@, <i>Behring Inst. Mitt</i> , No.78:118-132 (1985).	
	AX	Hayashi, H. et al., "An Enzyme-linked Immunosorbent Assay for Recombinant Human Tumor Necrosis Factor Using Monoclonal Antibody," <i>Recent Adv. Chemother</i> , 820-821 (1985).	
	AY	Liang, Chi-Ming et al., "Production and Characterization of Monoclonal Antibodies Against Recombinant Human Tumor Necrosis Factor/Cachectin," <i>Biochem. & Biophys. Res. Comm.</i> , 137(2):847-854 (1986).	
	AZ	Hirai, Makoto et al., "Production and characterization of monoclonal antibodies to human tumor necrosis factor," <i>J. of Immun. Methods</i> , 96:57-62 (1987).	
	AR2	Piguet, Pierre-Francois et al., "Tumor Necrosis Factor/Cachectin is an Effector of Skin and Gut Lesions of the Acute Phase of Graft-vs.-Host Disease," <i>J. Exp. Med.</i> , 166:1280-1289 (1987).	
	AS2	Meager, Anthony et al., "Preparation and Characterization of Monoclonal Antibodies Directed Against Antigenic Determinants of Recombinant Human Tumour Necrosis Factor (rTNF)," <i>Hybridoma</i> , 6(3):305-311 (1987).	
	AT2	Fendly, Brian M. et al., "Murine Monoclonal Antibodies Defining Neutralizing Epitopes on Tumor Necrosis Factor," <i>Hybridoma</i> , 6(4):359-370 (1987).	
	AU2	Bringman, Timothy S. and Aggarwal, Bharat B., "Monoclonal Antibodies to Human Tumor Necrosis Factors Alpha and Beta: Applications for Affinity Purification, Immunoassays, and as Structural Probes," <i>Hybridoma</i> , 6(5):489-507 (1987).	
8	AV2	Tracey, Kevin J. et al., "Anti-cachectin/TNF monoclonal antibodies prevent septic shock during lethal bacteraemia," <i>Nature</i> , 330:662-664 (1987).	
EXAMINER		DATE CONSIDERED	
JSC		12/22/83	

PTO-1449 REPRODUCED		ATTORNEY DOCKET NO. CEN0250	APPLICATION NO. 09/920,137
		APPLICANT George Heavner, et al.	
		FILING DATE August 1, 2001	GROUP 1643
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
	AW2	Nagai, M. et al., "Antibody to tumor necrosis factor (TNF) reduces endotoxin fever," <i>Experientia</i> , 44:606-607 (1988).	
	AX2	Shimamoto, Yoshinori et al., "Monoclonal antibodies against human recombinant tumor necrosis factor: prevention of endotoxic shock," <i>Immunology Letters</i> , 17:311-318 (1988).	
	AY2	Di Giovine, Francesco, S. et al., "Tumour necrosis factor in synovial exudates," <i>Annals of the Rheumatic Diseases</i> , 47:768-772 (1988).	
	AZ2	Sunahara, N. et al., "Simple enzyme immunoassay methods for recombinant human tumor necrosis factor and its antibodies using a bacterial cell wall carrier," <i>J Immunol Methods</i> , 109:203-214 (1988).	
	AR3	Exley, A.R. et al., "Monoclonal Antibody (Mab) to Recombinant Human Tumour Necrosis Factor (rhTNF) in the Prophylaxis and Treatment of Endotoxic Shock in Cynomolgus Monkeys," <i>Medical Research Society</i> , Abstract 184, p. 50 (1989).	
	AS3	Cross, A.S. et al., "Pretreatment with Recombinant Murine Tumor Necrosis Factor α Cachectin and Murine Interleukin 1 α Protects Mice from Lethal Bacterial Infection," <i>J of Exp Med.</i> , 169:2021-2027 (1989).	
	AT3	Whittle, Nigel, et al., "Construction and Expression of a CDR-Grafted Anti-TNF Antibody," <i>J. Cell Biochem</i> , Supl. 13A:96 (1989).	
	AU3	Duncombe, Andrew S. et al., "Tumor Necrosis Factor Mediates Autocrine Growth Inhibition in a Chronic Leukemia," <i>J Immunol</i> , 143:3828-3834 (1989).	
	AV3	Aderka, Dan et al., "IL-6 Inhibits Lipopolysaccharide-Induced tumor Necrosis Factor Production in Cultured Human Monocytes, U937 Cells, and in Mice," <i>J Immunol</i> , 143:3517-3523 (1989).	
	AW3	Eck, Michael J. and Sprang, Stephen R., "The Structure of Tumor Necrosis Factor-. at 2.6 Å Resolution," <i>J Biol Chem</i> , 264:17595-17605 (1989).	
	AX3	Gillies, Stephen D. et al., "High-level expression of chimeric antibodies using adapted cDNA variable region cassettes," <i>J Immunol Methods</i> , 125:191-202 (1989).	
	AY3	Engelmann, Hartmut et al., "A Tumor Necrosis Factor-binding Protein Purified to Homogeneity from Human Urine Protects Cells from Tumor Necrosis Factor Toxicity," <i>J. of Bio. Chem.</i> , 264(20):11974-11980 (1989).	
AZ3	Kawasaki, Hajime et al., "Analysis of Endotoxin Fever in Rabbits by Using a Monoclonal Antibody to Tumor Necrosis Factor (Cachectin)," <i>Infection and Immunity</i> , 57(10):3131-3135 (1989).		
EXAMINER 		DATE CONSIDERED 12/22/03	

PTO-1449 REPRODUCED		ATTORNEY DOCKET NO. CEN0250	APPLICATION NO. 09/920,137
INFORMATION DISCLOSURE CITATION IN AN APPLICATION 		APPLICANT George Heavner, et al.	
		FILING DATE August 1, 2001	GROUP 1647
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
85	AR4	Fong, Yuman et al., "Antibodies to Cachectin/Tumor Necrosis Factor Reduce Interleukin 1 β and Interleukin 6 Appearance During Lethal Bacteremia," <i>J. Exp. Med.</i> , 170:1627-1633 (1989).	
	AS4	Collins, M.S. et al., "Immunoprophylaxis of Polymicrobial Cellulitis with a Human Monoclonal Antibody Against Lipopolysaccharide Antigen of <i>Pseudomonas aeruginosa</i> ," Abstract E-63, <i>Abstracts of Annual Meeting 1989</i> .	
	AT4	Kameyama, Koh-zoh, et al., "Convenient plasmid vectors for construction of chimeric mouse/human antibodies," <i>FEBS Lett.</i> , 244:301-306 (1989).	
	AU4	Genebank Accession, No. N90300 (1989, November 1).	
	AV4	Engelmann, Hartmut et al., "Two Tumor Necrosis Factor-binding Proteins Purified from Human Urine," <i>J. of Bio. Chem.</i> , 265(3):1531-1536 (1990).	
	AW4	Tavernier, Jan et al., "Analysis of the Structure-Function Relationship of Tumour Necrosis Factor. Human/Mouse Chimeric TNF Proteins: General Properties and Epitope Analysis," <i>J. Mol. Biol.</i> , 211:493-501 (1990).	
	AX4	Lucas, R. et al., "Generation and characterization of a neutralizing rat anti-rm TNF- α monoclonal antibody," <i>Immunology</i> , 71:218-223 (1990).	
	AY4	Hinshaw, L.B. et al., "Survival of Primates in LD ₁₀₀ Septic Shock Following Therapy with Antibody to Tumor Necrosis Factor (TNF α)," <i>Circulatory Shock</i> , 30:279-292 (1990).	
	AZ4	Nophar, Yaron et al., "Soluble forms of tumor necrosis factor receptors (TNF-Rs). The cDNA for the type 1 TNF-R, cloned using amino acid sequence data of its soluble form, encodes both the cell surface and a soluble form of the receptor," <i>The EMBO Journal</i> , 9(10):3269-3278 (1990).	
	AR5	Verhoef, J. and Torensma, R., "Prospects for Monoclonal Antibodies in the Diagnosis and Treatment of Bacterial Infections," <i>Eur. J. Clin. Microbiol. Dis.</i> , 9(4):247-250 (1990).	
	AS5	Loetscher, Hansruedi et al., "Molecular Cloning and Expression of the Human 55 kd Tumor Necrosis Factor Receptor," <i>Cell</i> , 61:351-359 (1990).	
	AT5	Schall, Thomas J. et al., "Molecular Cloning and Expression of a Receptor for Human Tumor Necrosis Factor," <i>Cell</i> , 61:361-370 (1990).	
	AU5	Akama, Hideto et al., "Mononuclear Cells Enhance Prostaglandin E ₂ Production of Polymorphonuclear Leukocytes via Tumor Necrosis Factor α ," <i>Biochemical and Biophysical Research Comm.</i> , 168(2):857-862 (1990).	
85	AV5	Exley, A.R. et al., "Monoclonal antibody to TNF in severe septic shock," <i>The Lancet</i> , 335:1275-1277 (1990).	
EXAMINER 		DATE CONSIDERED 12/22/03	

PTO-1449 REPRODUCED		ATTORNEY DOCKET NO. CEN0250	APPLICATION NO. 09/920,137
INFORMATION DISCLOSURE CITATION IN AN APPLICATION 		APPLICANT George Heavner, et al.	
		FILING DATE August 1, 2001	GROUP 1647
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
8	AW5	Möller, Achim et al., "Monoclonal Antibodies to Human Tumor Necrosis Factor α : In Vitro and In Vivo Application," <i>Cytokine</i> , 2(3):162-169 (1990).	
	AX5	Gorman, S.D. and Clark, M.R., "Humanisation of monoclonal antibodies for therapy," <i>Sem Immunol</i> , 2:457-466 (1990).	
	AY5	Echtenacher, Bernd et al., "Requirement of Endogenous Tumor Necrosis Factor/Cachectin for Recovery from Experimental Peritonitis," <i>J. of Immunology</i> , 145(11):3762-3766 (1990).	
	AZ5	Ruddle, Nancy H. et al., "An Antibody to Lymphotoxin and Tumor Necrosis Factor Prevents Transfer of Experimental Allergic Encephalomyelitis," <i>J. Exp. Med.</i> , 172:1193-1200 (1990).	
	AR6	Von Asmuth, E.J.U. et al., "Tumour Necrosis Factor Alpha (TNF- α) and Interleukin 6 in a Zymosan-Induced Shock Model," <i>Scand. J. Immunol.</i> , 32:313-319 (1990).	
	AS6	Herve, P. et al., "Monoclonal Anti TNF α Antibody for the Treatment of Severe Acute GvHD in Humans," Abstract 3.25, <i>Lymphoma Res.</i> 9:591 (1990).	
	AT6	Silva, Ayona T. et al., "Prophylactic and Therapeutic Effects of a Monoclonal Antibody to Tumor Necrosis Factor- α in Experimental Gram-Negative Shock," <i>J. of Infectious Diseases</i> , 162:421-427 (1990).	
	AU6	Opal, Steven M. et al., "Efficacy of a Monoclonal Antibody Directed Against Tumor Necrosis Factor in Protecting Neutropenic Rats from Lethal Infection with <i>Pseudomonas aeruginosa</i> ," <i>J. of Infectious Diseases</i> , 161:1148-1152 (1990).	
	AV6	Fong, Yuman and Lowry, Stephen F., "Tumor Necrosis Factor in the Pathophysiology of Infection and Sepsis," <i>Clin Immunol Immunopathol</i> , 55:157-170 (1990).	
	AW6	Starnes, H. Fletcher, Jr., et al., "ANTI-IL-6 Monoclonal Antibodies Protect Against Lethal <i>Escherichia Coli</i> Infection and Lethal Tumor Necrosis Factor Challenge in Mice," <i>J Immunol</i> , 145:4185-4191 (1990).	
	AX6	Genebank Accession, No. M32046 (1990, June 15).	
	AY6	Smith, Craig R., "Human and Chimeric Antibodies to LPS and TNF," 4Abstract, <i>Endotoxemia & Sepsis Conference</i> (1991).	
85	AZ6	Bodmer, Mark, "Humanized Antibodies for Anti-TNF Therapy," Abstract, <i>Endotoxemia & Sepsis Conference</i> (1991).	
EXAMINER 924		DATE CONSIDERED 12/22/03	

PTO-1449 REPRODUCED		ATTORNEY DOCKET NO. CEN0250	APPLICATION NO. 09/920,137
INFORMATION DISCLOSURE CITATION IN AN APPLICATION 		APPLICANT George Heavner, et al.	
		FILING DATE August 1, 2001	GROUP 1647.
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
78	AR7	Aderka, Dan, "Role of Tumor Necrosis Factor in the Pathogenesis of Intravascular Coagulopathy of Sepsis: Potential New Therapeutic Implications," <i>Isr J Med Sci</i> , 27:52-60 (1991).	
	AS7	Galloway, Cynthia J. et al., "Monoclonal anti-tumor necrosis factor (TNF) antibodies protect mouse and human cells from TNF cytotoxicity," <i>J. of Immunological Methods</i> , 140:37-43 (1991).	
	AT7	Waldmann, Thomas A., "Monoclonal Antibodies in Diagnosis and Therapy," <i>Science</i> , 252:1657-1662 (1991).	
	AU7	Lassalle, Ph., et al., "Potential Implication of Endothelial Cells in Bronchial Asthma," <i>Int Arch Allergy Appl Immunol</i> , 94:233-238 (1991).	
	AV7	Aderka, Dan et al., "The Possible Role of Tumor Necrosis Factor (TNF) and Its Natural Inhibitors, The Soluble-TNF Receptors, In Autoimmune Diseases," <i>Israel J. Med. Sci.</i> , 28(2):126-130 (1992).	
	AW7	Pennington, James, "TNF: Therapeutic Target in Patients with Sepsis," <i>ASM News</i> , 58(9):479-482 (1992).	
	AX7	Harris, William J. and Emery, Steven, "Therapeutic antibodies - the coming of age," <i>TBTECH</i> , 11:42-44 (1993).	
✓	AY7	Parrillo, Joseph E., "Pathogenetic Mechanisms of Septic Shock," <i>N.E. Journal of Medicine</i> , 328(20):1471-1477 (1993).	
EXAMINER			DATE CONSIDERED 12/22/03

Page 1 of 1

Application Number	09/920,137
Filing Date	August 1, 2001
First Named Inventor	George Heavner
Group Art Unit	1645
Examiner Name	J. Schrasey
Attorney Docket Number	CEN-250

U.S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

[illegible]

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS

[illegible]

Examiner Signature		Date Considered	12/22/23
-----------------------	---	--------------------	----------



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Application Number	09/920,137
Filing Date	August 1, 2001
First Named Inventor	George Heavner
Group Art Unit	1645
Examiner Name	S. Johnson
Attorney Docket Number	CEN-250


[illegible][illegible]

Examiner Signature	<i>gsh</i>	Date Considered	11/22/03
-----------------------	------------	--------------------	----------

1 Unique citation designation number. 2 See attached Kinds of U.S. Patent Documents. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U. S. Patent and Trademark Office, Washington, DC 20231.

Office, Washington, DC 20231.




INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Sheet 2 of 2

Application Number	09/920,137
Filing Date	August 1, 2001
First Named Inventor	George Heavner
Group Art Unit	1649
Examiner Name	J. SchraSeyon
Attorney Docket Number	CEN-250

[illegible]

Examiner Signature		Date Considered	12/22/03
-----------------------	---	--------------------	----------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Unique citation designation number. 2 Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U. S. Patent and Trademark Office, Washington, DC 20231.

DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.